Kuta Software - Infinite Algebra 2
 Name_______

 Arithmetic Sequences
 Date______ Period____

 Determine if the sequence is arithmetic. If it is, find the common difference.
 2) -3, -23, -43, -63, ...

 1) 35, 32, 29, 26, ...
 2) -3, -23, -43, -63, ...

 3) -34, -64, -94, -124, ...
 4) -30, -40, -50, -60, ...

 5) -7, -9, -11, -13, ...
 6) 9, 14, 19, 24, ...

Given the explicit formula for an arithmetic sequence find the first five terms and the term named in the problem.

7) $a_n = -11 + 7n$	8) $a_n = 65 - 100n$
Find a_{34}	Find a_{39}

9)
$$a_n = -7.1 - 2.1n$$

Find a_{27}
10) $a_n = \frac{11}{8} + \frac{1}{2}n$
Find a_{23}

Given the first term and the common difference of an arithmetic sequence find the first five terms and the explicit formula.

11)
$$a_1 = 28, d = 10$$
 12) $a_1 = -38, d = -100$

13)
$$a_1 = -34, \ d = -10$$
 14) $a_1 = 35, \ d = 4$

```
-1-
```

Given a term in an arithmetic sequence and the common difference find the first five terms and the explicit formula.

15)
$$a_{38} = -53.2, \ d = -1.1$$
 16) $a_{40} = -1191, \ d = -30$

17)
$$a_{37} = 249, \ d = 8$$
 18) $a_{36} = -276, \ d = -7$

Given the first term and the common difference of an arithmetic sequence find the recursive formula and the three terms in the sequence after the last one given.

19)
$$a_1 = \frac{3}{5}, \ d = -\frac{1}{3}$$
 20) $a_1 = 39, \ d = -5$

21)
$$a_1 = -26, d = 200$$
 22) $a_1 = -9.2, d = 0.9$

Given a term in an arithmetic sequence and the common difference find the recursive formula and the three terms in the sequence after the last one given.

23)
$$a_{21} = -1.4, \ d = 0.6$$
 24) $a_{22} = -44, \ d = -2$

25)
$$a_{18} = 27.4, \ d = 1.1$$
 26) $a_{12} = 28.6, \ d = 1.8$

Given two terms in an arithmetic sequence find the recursive formula.

27)
$$a_{18} = 3362$$
 and $a_{38} = 7362$ 28) $a_{18} = 44.3$ and $a_{33} = 84.8$

-2-

Kuta Software - Infinite Algebra 2

Name

Arithmetic Sequences

Determine if the sequence is arithmetic. If it is, find the common difference.

2) -3, -23, -43, -63, ... 1) 35, 32, 29, 26, ... d = -20d = -33) -34, -64, -94, -124, ... 4) -30, -40, -50, -60, ... d = -30d = -105) -7, -9, -11, -13, ... 6) 9, 14, 19, 24, ...

$$d = -2 \qquad \qquad d = 5$$

Given the explicit formula for an arithmetic sequence find the first five terms and the term named in the problem.

7)
$$a_n = -11 + 7n$$

Find a_{34}
First Five Terms: -4, 3, 10, 17, 24
 $a_{34} = 227$
9) $a_n = -7.1 - 2.1n$
Find a_{27}
First Five Terms: -9.2, -11.3, -13.4, -15.5, -17.6
8) $a_n = 65 - 100n$
Find a_{39}
First Five Terms: -35, -135, -235, -335, -435
 $a_{39} = -3835$
10) $a_n = \frac{11}{8} + \frac{1}{2}n$ First Five Terms: $\frac{15}{8}, \frac{19}{8}, \frac{23}{8}, \frac{27}{8}, \frac{31}{8}$
Find a_{23}
Find a_{23}
Find a_{23}
Find $a_{23} = \frac{103}{8}$

11) $a_1 = 28, d = 10$ 12) $a_1 = -38, d = -100$

First Five Terms: 28, 38, 48, 58, 68 Explicit: $a_n = 18 + 10n$

13) $a_1 = -34, d = -10$

 $a_{27} = -63.8$

First Five Terms: -34, -44, -54, -64, -74 Explicit: $a_n = -24 - 10n$

First Five Terms: -9.2, -11.3, -13.4, -15.5, -17.6

First Five Terms: -38, -138, -238, -338, -438 Explicit: $a_n = 62 - 100n$

14) $a_1 = 35, d = 4$

First Five Terms: 35, 39, 43, 47, 51 Explicit: $a_n = 31 + 4n$

-1-

Date Period

Given a term in an arithmetic sequence and the common difference find the first five terms and the explicit formula.

15)
$$a_{38} = -53.2, d = -1.1$$

First Five Terms: -12.5, -13.6, -14.7, -15.8, -16.9
Explicit: $a_n = -11.4 - 1.1n$
16) $a_{40} = -1191, d = -30$
First Five Terms: -21, -51, -81, -111, -141
Explicit: $a_n = 9 - 30n$
17) $a_{37} = 249, d = 8$
First Five Terms: -39, -31, -23, -15, -7
First Five Terms: -31, -38, -45, -52, -59

Given the first term and the common difference of an arithmetic sequence find the recursive formula and the three terms in the sequence after the last one given.

Explicit: $a_n = -24 - 7n$

 $a_1 = -9.2$

19)
$$a_1 = \frac{3}{5}, d = -\frac{1}{3}$$
 Next 3 terms: $\frac{4}{15}, -\frac{1}{15}, -\frac{2}{5}$ 20) $a_1 = 39, d = -5$ Recursive: $a_n = a_{n-1} - \frac{1}{3}$ Next 3 terms: $34, 29, 24$ Recursive: $a_n = a_{n-1} - \frac{1}{3}$ Recursive: $a_n = a_{n-1} - 5$ $a_1 = \frac{3}{5}$ $a_1 = -26, d = 200$ Next 3 terms: 174, 374, 57422) $a_1 = -9.2, d = 0.9$ Next 3 terms: 174, 374, 574Next 3 terms: $-8.3, -7.4, -6.5$ Recursive: $a_n = a_{n-1} + 200$ Next 3 terms: $-8.3, -7.4, -6.5$

Explicit: $a_n = -47 + 8n$

 $a_1 = -26$

Given a term in an arithmetic sequence and the common difference find the recursive formula and the three terms in the sequence after the last one given.

23) $a_{21} = -1.4, \ d = 0.6$	24) $a_{22} = -44, \ d = -2$
Next 3 terms: -0.8, -0.2, 0.4	Next 3 terms: -46, -48, -50
Recursive: $a_n = a_{n-1} + 0.6$	Recursive: $a_n = a_{n-1} - 2$
$a_1 = -13.4$	$a_1 = -2$
25) $a_{18} = 27.4, \ d = 1.1$	26) $a_{12} = 28.6, \ d = 1.8$
Next 3 terms: 28.5, 29.6, 30.7	Next 3 terms: 30.4, 32.2, 34
Recursive: $a_n = a_{n-1} + 1.1$	Recursive: $a_n = a_{n-1} + 1.8$
$a_1 = 8.7$	$a_1 = 8.8$

Given two terms in an arithmetic sequence find the recursive formula.

27) $a_{18} = 3362$ and $a_{38} = 7362$ $a_n = a_{n-1} + 200$ $a_1 = -38$ 28) $a_{18} = 44.3$ and $a_{33} = 84.8$ $a_n = a_{n-1} + 2.7$ $a_1 = -1.6$

Create your own worksheets like this one with Infinite Algebra 2. Free trial available at KutaSoftware.com